



Configuración Manual del GPS

Smart Technology Brands

Google 



#*#3646633#*#

123 456 789 *0#

123 456 789 *0#

123 456 789 *0#

123 456 789 *0#

123 456 789 *0#

123 456 789 *0#

123 456 789 *0#

123 456 789 *0#

123 456 789 *0#

123 456 789 *0#

Guardando captura...



EngineerMode

Telephony

Connect



Auto Answer

BandMode

BSPTelephonyDevTool


HotSwapDevTool

CFU

Modem Test

Network Selecting

NetworkInfo



Guardando captura



EngineerMode

Performance Testing

Location

Log and Diagnostics

Location Based Service

YGPS



Location Engineer Mode

GPS

VIEW

AGPS

EPO

Load Profile

Save Profile **v2**

GPS Reset w/o SI_REQ

A-GPS On/Off

Enable A-GPS

CP and UP switching

Control Plane User Plane

A-GPS Mode

Standalone MSB MSA

User Plane Settings

SLP Template

SLP Test

SLP Address supl.nokia.com

Edit

SLP Port [7275](#)

Edit

TLS Enable

Set ID



IDv4



IMSI

Location Engineer Mode

- [Lab - RnS]
- [Lab - CMCC]
- [Lab - Andrew]
- [Lab - Ericsson]
- [NOKIA] NOKIA**
- [GOOGLE] GOOGLE
- [ORANGE 00] 20800
- [ORANGE 01] 20801

SLP Template SLP Test

SLP Address supl.nokia.com Edit

SLP Port [7275](#) Edit

TLS Enable

Set ID IDv4 IMCI



17:29




SATELLITES

INFORMATION

NMEA LOG

GPS TEST





17:29




SATELLITES

INFORMATION

NMEA LOG

GPS TEST



0 0 0 0 0 0 0 0

12 14 15 18 22 24 25 26

Instrucciones



1. Vaya al marcador de su teléfono
2. En el marcador, introduzca el siguiente código y pulse “Llamar”
3. Le aparecerá “EngineerMode”. Deslice la pantalla hacia la derecha hasta encontrar “Location”
4. Pulse Location Based Service
5. Pulse SLP template y seleccione “Nokia”
6. Vuelva a atrás y seleccione YGPS. Esta acción tarda un rato en efectuarse. El teléfono localizará los satélites disponibles. Recuerde tener encendido el GPS durante todo el procedimiento. Una vez haya localizado los satélites disponibles aparecerán en verde los círculos. Ya tiene configurado el GPS